



Foamdoctor G2978

foam control agent

PennWhite

technical data sheet

foam control agents - general grade

Foamdoctor G2978 is a powerful foam control agent based on a mixture of mineral oil and non-ionic surfactants.

Foamdoctor G2978 controls foaming and aeration during paint manufacture, filling and application with a good compatibility in a wide range of systems. It is effective over a wide pH range and retains a high and long lasting efficiency.

TYPICAL PROPERTIES

Appearance:	Opaque, off white liquid
IR Spectra:	Conforms to reference
Active content:	95% actives.

APPLICATION

Foamdoctor G2978 should be agitated before use and used without dilution. Suggested dosage for some typical applications:

Application	Area	Dosage
Water based paints	Matt paints	0.1 - 0.3%
Synthetic & Natural Latices	Silk and semi gloss paints	0.1 - 0.3%
	Compounding and application	0.1 - 0.3%
Adhesives	Dipping (anti-webbing)	0.05 - 0.2%
	Starch, Dextrine, Casein	0.1 - 0.2%
	Acrylic, PV Acetate, PV Alcohol	0.1 - 0.3%

PACKAGING

Foamdoctor G2978 is available in 200kg drums and 1000kg IBCs.

SHELF LIFE AND STORAGE CONDITIONS

Keep container tightly closed. Store in a cool dry place between 5°C and 35°C. Shelf life is 12 months in unopened containers.

(OPA2/F2)

TDS: 128

Issue: 03

Revised: 07/03/2014

Page 1 of 1

For additional technical or safety advice call us on 01606 734820 or email info@pennwhite.co.uk

PennWhite Ltd
Aston Way
Midpoint 18 Business Park
Middlewich, CW10 0HS



Telephone: +44 (0)1606 734820
Fax: +44 (0)1606 837867
Email: info@pennwhite.co.uk
Website: www.pennwhite.co.uk